


MXX Evaluation Platform (EVP)

Table of Content

Sheet #	Description
1	Title page. ToC, Revision History.
2	MXX module, SD card, 25 MHz clock, config.
3	USB/UART and CAN-bus interfaces
4	USB transceiver
5	Ethernet PHY 0
6	Ethernet PHY 1
7	LCD connector, touch controller
8	Pmod extension connectors
9	FMC extension connector
10	Power

Revision History

Revision	Date	Changes
1.0	2022-10-20	Init.(MCVEVP to MXXEVP) UART,Eth-Phy,FMC,PWR
1.1	2023-09-19	CP2105/No-Reset(UART/USB)



MXXEVP

Variant: [No Variations]

Comment:

Number:


Revision1.1 | Sheet1 of 10

Date: 2023-09-19 Time: 15:17:31


File: First_Sheet.SchDoc

aries embedded GmbH
Schöngesinger Straße 84
D-82256 Fürstenfeldbruck
Tel. +49 (0)8141 36367-0
web: www.aries-embedded.de


MXX module connectors



UART / USB 2.0





CAN-BUS




VCC33
GND


HPS - USB Interface



HPS Gigabit Ethernet Phy 0



HPS Gigabit Ethernet Phy 1



MXXEVP

Variant: [No Variations]

Comment:

Number:

Revision 1.1 | Sheet 6 of 10



Date: 2023-09-19 | Time: 15:17:32

File: Ethernet_PHY1_SchDoc

aries embedded






aries embedded GmbH
Schöngesinger Straße 84
D-82256 Fürstenfeldbruck
Tel. +49 (0)8141 36367-0
web: www.aries-embedded.de

TFT Interface and Touch Controller



Extension Connectors

Pmod
Peripheral Modules



FMC / VITA57.1

